Specifications



Extended rotary handle kit, TeSys GV2, IP54, black handle, with trip indication, for GV2L-GV2P

GV2APN01

### Main

| Range                                 | TeSys             |
|---------------------------------------|-------------------|
| Device short name                     | GV2AP             |
| Product or component type             | Rotary handle kit |
| Accessory / separate part<br>category | Control accessory |
| Handle colour                         | Black             |
| Handle front plate colour             | Grey              |

### Complementary

| GV2P                    |
|-------------------------|
| GV2L                    |
| Padlock in OFF position |
| Padlock in ON position  |
| Extended                |
| 1 to 3 padlocks         |
| Trip position           |
| 140250 mm               |
| 0.3 kg                  |
|                         |

### Environment

| Product certifications  | CULus |
|-------------------------|-------|
| IP degree of protection | IP54  |

### **Packing Units**

| Unit Type of Package 1       | PCE       |
|------------------------------|-----------|
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 7.000 cm  |
| Package 1 Width              | 9.000 cm  |
| Package 1 Length             | 37.400 cm |
| Package 1 Weight             | 327.000 g |
| Unit Type of Package 2       | S03       |
| Number of Units in Package 2 | 12        |
| Package 2 Height             | 30 cm     |
| Package 2 Width              | 30 cm     |

| Package 2 Length             | 40 cm     |
|------------------------------|-----------|
| Package 2 Weight             | 4.390 kg  |
| Unit Type of Package 3       | P06       |
| Number of Units in Package 3 | 96        |
| Package 3 Height             | 75.000 cm |
| Package 3 Width              | 60.000 cm |
| Package 3 Length             | 80.000 cm |
| Package 3 Weight             | 45.392 kg |

# Contractual warranty

Warranty

18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

### Ø Environmental footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**


| Packaging made with recycled cardboard | Yes                                  |  |
|--|--------------------------------------|--|
| Packaging without single use plastic   | No                                   |  |
| EU RoHS Directive                      | Compliant with Exemptions            |  |
| SCIP Number                            | 66ab381c-81b1-42a8-ae7a-ce3f5adb691a |  |
| REACh Regulation                       | REACh Declaration                    |  |

#### Use Again


| $^{\circlearrowright}$ Repack and remanufacture |   |
|---|---|
| Circularity Profile                             | End of Life Information   |
| Take-back                                       | No  |
| WEE   | The product must be disposed on European Union<br>markets following specific waste collection and never end<br>up in rubbish bins |

**Dimensions Drawings** 

Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L




Door cut-out



(1) For IP65 only.

Image of product / Alternate images

Alternative











### **Technical Illustration**

### Assembly's dimensions

