

Product data sheet

Specifications



Extended rotary handle kit, TeSys Deca, IP54, red handle, with trip indication, for GV2L-GV2P

GV2APN02

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|------------------------------------|-------------------|
| Range | TeSys |
| Device short name | GV2AP |
| Product or Component Type | Rotary handle kit |
| Accessory / separate part category | Control accessory |
| Handle colour | Red |
| Handle front plate colour | Yellow |

Complementary

| | |
|------------------------------|-----------------------------|
| Product Compatibility | GV2L GV2P |
| Rotary handle padlocking | Padlock in OFF position |
| Rotary handle mounting style | Extended |
| Locking options description | 1 to 3 padlocks |
| Position Indicator | Trip position |
| Back/door distance | 5.5...9.8 in (140...250 mm) |
| Net Weight | 0.7 lb(US) (0.3 kg) |

Environment

| | |
|-------------------------|-------|
| Product certifications | CULus |
| IP degree of protection | IP54 |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US10I1122367 |
| Discount Schedule | 0I11 |
| GTIN | 3606480160943 |
| Returnability | Yes |
| Country of origin | CZ |

Packing Units

| | |
|------------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 2.60 in (6.600 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|------------------------------|----------------------------|
| Package 1 Width | 3.50 in (8.900 cm) |
| Package 1 Length | 14.61 in (37.100 cm) |
| Package 1 Weight | 12.310 oz (349.000 g) |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 12 |
| Package 2 Height | 11.81 in (30.000 cm) |
| Package 2 Width | 11.81 in (30.000 cm) |
| Package 2 Length | 15.75 in (40.000 cm) |
| Package 2 Weight | 10.441 lb(US) (4.736 kg) |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 96 |
| Package 3 Height | 30.31 in (77.000 cm) |
| Package 3 Width | 31.50 in (80.000 cm) |
| Package 3 Length | 23.62 in (60.000 cm) |
| Package 3 Weight | 101.986 lb(US) (46.260 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

| Environmental footprint | |
|--------------------------|---|
| Environmental Disclosure | Product Environmental Profile |

Use Better


| Materials and Substances | |
|--|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant with Exemptions |
| SCIP Number | 66ab381c-81b1-42a8-ae7a-ce3f5adb691a |
| REACH Regulation | REACH Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again


| Repack and remanufacture | |
|--------------------------|--|
| Circularity Profile | End of Life Information |
| Take-back | No |
| WEEE |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Dimensions Drawings

Mounting of External Operator GV2APN01, GV2APN02 or GV2APN04 for Motor Circuit Breakers GV2L



Door cut-out



(1) For IP65 only.

Image of product / Alternate images

Alternative





Technical Illustration

Assembly's dimensions

