Specifications



Linergy FT, Comb busbar, 63A, 2 tap-offs, 54mm pitch

GV2G254

Product availability: Stock - Normally stocked in distribution facility

Main

Range	Linergy
product name	FT
Device short name	GV2G
Product or Component Type	Comb busbar
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys GV2 TeSys K TeSys U TeSys Deca
Number of tap-offs	2
[Ith] conventional free air thermal current	63 A
Connection pitch	2.1 in (54 mm)

Complementary

[Ui] Rated Insulation Voltage	690 V
Length	3.9 in (98 mm)
Net Weight	0.084 lb(US) (0.038 kg)

Ordering and shipping details

Category	US10I1122367
Discount Schedule	0111
GTIN	3389110555936
Returnability	Yes
Country of origin	RO

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.39 in (1.000 cm)
Package 1 Width	3.15 in (8.000 cm)
Package 1 Length	5.51 in (14.000 cm)
Package 1 Weight	1.411 oz (40.000 g)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type of Package 2	S01
Number of Units in Package 2	80
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	5.91 in (15.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	7.408 lb(US) (3.360 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	2560
Package 3 Height	29.53 in (75.000 cm)
Package 3 Width	23.62 in (60.000 cm)
Package 3 Length	31.50 in (80.000 cm)
Package 3 Weight	260.366 lb(US) (118.100 kg)

Contractual warranty

Warranty

18 months

🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

${\mathcal Q}$ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

S Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration


Use Again

\circlearrowright Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Νο


Product data sheet

Dimensions Drawings

Sets of Busbars $\mathsf{GV2G}_{\bullet\bullet\bullet}$ with Terminal Block $\mathsf{GV1G09}$



Sets of Busbars GV2G245, GV2G254, GV2GR272



	I
GV2G245 (2 x 45 mm)	89
GV2G254 (2 x 54 mm)	98
GV2G272 (2 x 72 mm)	116